

बागमती प्रदेश सरकार
कृषि तथा पशुपन्छी विकास मन्त्रालय
कृषि विकास निर्देशनालय
कृषि विकास कार्यालय, रामेछाप
(कार्यक्षेत्र: रामेछाप र दोलखा)



कृषि उपज सामाग्री आपूर्ति सम्बन्धमा
प्रस्ताव दरभाउ फारम

आर्थिक वर्ष : २०८२/०८३

१. संस्थाको नाम :

२. संस्थाको ठेगाना :

सम्पर्क व्यक्तिको मोबाईल नं. :

ईमेल :

३. आधिकारिक व्यक्तिको नाम :

पद :

ईमेल :

४. संस्थाको रजिष्ट्रेशन नं. :

५. रजिष्ट्रेशन गर्ने कार्यालय :


६. फर्म दर्ता मिति :

७. PAN/VAT रजिष्ट्रेशन नं. :

८. व्यापारको किसिम/उद्देश्य :

९. उपलब्ध गराउन सक्ने सामाग्रीको दरभाउ र अन्य विवरण प्रस्ट खुल्नु पर्नेछ।

१०. आपूर्तिकर्ताले Supplier's Specification मा कृषि सामाग्रीहरुको विवरण अनिवार्यरूपमा भर्नु पर्नेछ।


प्रसाद दाहाल
कार्यालय प्रमुख

S.N	Required Technical Specifications	Offered specification	Offered Rate (NRs)	Remarks
	Equipment used in agriculture			
1.	UV Plastic (UV stabilized 200 micron; 5 layers (anti dust, anti drip)			
2.	Tunnel Plastic 90 GSM and 120 GSM			
3.	Insect Net Uv stabilized 40 mesh			
4.	Green Net Green colour of 50% and 75 % shade factor			
5.	Mulching Plastic (Roll) 40 micron			
6.	Plastic Crate Dimensions: - Not less than 540 mm* 350 mm* 270 mm; must have at least 20 kg capacity (fruits or vegetables); Weight of plastic crate: - Not less than 1.5 kg;			
7.	Pond Plastic 200 GSM and 250 GSM			
8.	Hajari Plastic made 5 litre and 10 litre			
9.	Plastic Tray for Nursery Black colour; plastic material; number of holes (50,80,100,120)			
10.	Black plastic for mushroom Plastic roll (20 kg wt) ; black colour; 90 GSM & 120 GSM			

S.N	Required Technical Specifications	Offered specification	Offered Rate (NRs)	Remarks
11.	Aluminum Ladder Minimum 150kg load capacity 4-5 Steps Aluminum Folding Ladder with Platform for fruits harvesting; Anti-skid. Dimension: 173x50x12cm approximate. 4.5ft height or above.			
12.	Drip Irrigation Set HDPE water tank (source), main line, laterals, screen filter, all necessary fittings in 72 square metre area (6*12)			
13.	Digital Weighing Balance (100 kg) Digital LED red Display, Stainless Iron Top Platter. Runs on rechargeable battery Voltage and plug can be customized according to each country situation. (Voltage input AC 220V/60HZ with 2 round pin plug, at least 12 hours continuous use from a single charge, Waterproof Keyboard. Power, tare, zero, low battery, AC power indicators. Auto shut off function. weighing Capacity: 100kg. Overload protection for safe working. Least count 10-20g. platform Dimensions LxWxH: 14 x 26 x 30 inches approximate. Platform: 14 x 18 inches approximate.			
14.	Refractometer Hand-held fluid concentration detection refractometer for fruits. Sugar measuring instrument. Measure range: 0-32% Brix; salinity 0-28%. division value: accuracy 0.50%. Size: 5.9 inch or more. Accessories: mini Screw driver, Pipette, English manual, Plastic box etc			
15.	Seed Moisture meter Measurement principle: capacitive (high frequency AC); Sample: whole grains and seeds (compression method); Measurement duration: approx. 5 sec; pre programmed scales: 16 common grain and seed types (scales vary slightly by region); moisture range (8-35% for grains and 5-25 % for oilseeds); numeric			


 पंजाब सरकार
 कृषि विभाग
 कृषि विकास विभाग
 कृषि विकास विभाग
 कृषि विकास विभाग

कृषि विभाग
 कृषि विकास विभाग
 कृषि विकास विभाग

विज्ञान आयोग
 कृषि इन्फोर्मेशन
 NEC: Agriculture

S.N	Required Technical Specifications	Offered specification	Offered Rate (NRs)	Remarks
	LCD display; internal memory stores measurement to calculate and display the average value (upto 99 results); power supply 1*9 V battery (6LR61); Dimensions/ weight designed for portability and durability; typically supplied with a carrying case.			
16.	Secateurs Size/Dimension: 8 Inch or more, blade length 50 mm or more. Blade Material: Stainless Steel. Weight 300g Approx. capable of cutting diameter: up to 30 mm.			
17.	Pruning Saw The blades of the saw are made of high-quality steel. Pruning saw ideal for any type of wood and resistant to corrosion. The length of the blades varies from 20 cm to 35 cm depending on the preference. Handle of aluminum pipe may be provided.			
18.	Mould Board Plough Type- reversible; number of furrow-2; tyne-not less than 80mm; mould board-not less than 8mm; plough share- not less than 10 mm; point- not less than 100mm; turnover mechanism-hydraulic; tillage width-not less than 700mm; depth of cut-not less than 350mm; power required- 50 hp and above; tools set needed; mb plough offered must be current model manufacture for at least 1 years; at least 1 year warranty after acceptance; operation manual should be submitted.			
19.	Kivi Vine Twister machine Steel body and plastic grip. Size: 32x10x3 cm. weight 660 g or above. Typing machine with 10 rolls of tapes and 1 box of staple.			


 कृषि विभाग
 कृषि विकास विभाग
 कृषि विकास विभाग
 कृषि विकास विभाग
 कृषि विकास विभाग

कृषि विभाग
 कृषि विकास विभाग
 कृषि विकास विभाग
 कृषि विकास विभाग
 कृषि विकास विभाग

विज्ञान आचार्य
 कृषि इन्फार्मेटिक्स
 NEC-443 "A"